

**NORTHERN GREECE CERAMICS S.A.**

Nea Santa 61100 - Kilkis, Greece

Tel: 0030 23410 75570

Fax: 0030 23410 75574

Email: info@kebe-sa.gr

web: www.kebe-sa.gr

EST. 1935

KOTHALI**KEBE**

NORTHERN GREECE CERAMICS

13**EN 1304:2005****Novel Roof Tile****Clay Roofing Tiles and Fittings for Roof Covering and Wall Cladding**

DOP Reference No	Nov-19
Flexural Strength (not valid for fittings)	Pass
External Fire Performance	Deemed to Satisfy
Reaction to Fire	A1
Water Impermeability	Pass Category 1, Test Method 2
Dimensions and Dimensional Variation	Pass
Durability (Frost Resistance)	Pass Test Method E (150 cycles)

Particular conditions applicable to the use:

Cutting with power tools may generate dust. People undertaking works of this nature are advised to wear suitable personal protective equipment (PPE)



Declaration of Performance

Clay roofing tiles and fittings

No: Nov-19

Unique identification code of the product-type : Novel Roof Tile

Intended Use/es: Roof Covering and Wall Cladding



Manufacturer: NORTHERN GREECE CERAMICS S.A.

Nea Santa, 61100 - Kilkis, Greece

Tel: 0030 23410 75570

Fax: 0030 23410 75574

Email: info@kebe-sa.gr

web: www.kebe-sa.gr



System/s AVCP : System 4

Harmonised Standard: EN1304:2005

Declared Performance/s:

Essential Characteristics	Performance	Harmonized Technical Specification
Flexural Strength (not valid for fittings)	Pass	EN 538
External Fire Performance	Deemed to Satisfy	EN 13501-5
Reaction to Fire	A1	EN 13501-1
Water Impermeability	Pass Category 1, Test Method 2	EN 539-1
Dimensions and Dimensional Variation	Complies	EN 1024
Durability (Frost Resistance)	Pass Test Method E (150 cycles)	EN 539-2

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

George Koutsoupas - Quality Systems Manager

Nea Santa 21/10/2019

